

























































































































































<b>SUPPORT BASE</b>		Page 06-11
<b>SPACER AND GUIDE RAIL CLAMP</b>		Page 12-35
<b>KNOB FOR BRACKET AND HANDLE</b>		Page 36-41
<b>HINGES</b>		Page 42
<b>COMP. FOR CHAINS TABLETOP</b>		Page 43-56
<b>CONVEYOR BUSHINGS AND EXPANSION PLUGS</b>		Page 57-59
<b>COMPONENTS FOR DRIVE AND IDLER ROLLER</b>		Page 60-62
<b>TRANSFER PLATES AND CONVOYER GUIDES</b>		Page 63-79
<b>REDUCERS FOR RACKS</b>		Page 80-81
<b>POLYAMIDE SUPPORTS</b>		Page 82-98
<b>FIXED, ARTICULATED AND ADJUSTABLE FEET (polyamide, nickel and inox)</b>		Page 99-119
<b>THREADED BUSHINGS FOR TUBES Rectangular, Round and Square</b>		Page 120-126

## CONVEYOR COMPONENTS

						
D00/DX00 pag. 006	D01/DX01 pag. 006	D02/DX02 pag. 007	D03/DX03 pag. 007	D12/DX12 pag. 008	D08/DX08 pag. 008	D11/DX11 pag. 009
						
D07/DX07 pag. 009	D10/DX10 pag. 010	D35 pag. 010	D36 pag. 011	D13 pag. 012	D14 pag. 012	D79 pag. 013
						
D15 pag. 013	D80 pag. 014	D43 pag. 014	D81 pag. 015	D16/DX16 pag. 015	D18/DX18 pag. 016	D44/DX44 pag. 016
						
D17 pag. 017	D19 pag. 017	D55 pag. 018	D09 pag. 018	D20 pag. 019	D42 pag. 019	D22 pag. 020
						
D21 pag. 020	D66 pag. 021	D23/DX23 pag. 021	D24 pag. 022	D25 pag. 022	D56 pag. 022	D89 pag. 023
						
D29 pag. 023	D30 pag. 024	D31 pag. 024	D32 pag. 025	T46 pag. 025	T47 pag. 026	D91 pag. 026
						
T48 pag. 027	T49 pag. 027	D90 pag. 028	D04 pag. 028	D05 pag. 029	T01 pag. 029	T16 pag. 030
						
T02 pag. 030	T06 pag. 031	T38 pag. 031	T24 pag. 032	D37 pag. 032	D39 pag. 033	D40 pag. 033
						
D41 pag. 034	D97 pag. 035	T12 pag. 035	D26 pag. 036	D27 pag. 036	D28 pag. 036	D46 pag. 037
						
D47 pag. 037	D48 pag. 037	T13 pag. 038	T14 pag. 038	T15 pag. 038	T34 pag. 039	T37 pag. 039
						
T38 pag. 039	T03 pag. 040	T04 pag. 040	T05 pag. 040	T50 pag. 041	T32 pag. 041	D94 pag. 041



						
D33 pag. 042	D34 pag. 042	D68 pag. 043	D69 pag. 043	T11 pag. 044	D85 pag. 044	T10 pag. 045
						
D88 pag. 046	D50 pag. 047	D51 pag. 047	D52 pag. 048	D96 pag. 048	D53 pag. 049	D70 pag. 049
						
D71 pag. 050	D3 pag. 050	D74 pag. 051	D87 pag. 051	D86 pag. 052	D75 pag. 052	D72 pag. 053
						
D67 pag. 053	D49 pag. 054	D45 pag. 054	D93 pag. 055	D76 pag. 055	D54 pag. 056	D82 pag. 056
						
T36 pag. 057	T35 pag. 057	D83 pag. 058	T33 pag. 059	T00 pag. 060	D65 pag. 060	D63 pag. 061
						
T17 pag. 061	D64 pag. 062	D57 pag. 063	D58 pag. 063	D59 pag. 063	D60 pag. 064	D61 pag. 064
						
D62 pag. 064	T06 pag. 065	T07 pag. 065	T08 pag. 066	T19 pag. 066	T25 pag. 067	T26 pag. 067
						
T27 pag. 068	T28 pag. 068	T55 pag. 069	T56 pag. 069	T57 pag. 070	T58 pag. 070	T20,21,22,23 pag. 071
						
T40 pag. 071	T41 pag. 072	T42 pag. 072	T43 pag. 073	T29 pag. 073	T53 pag. 073	T54 pag. 074
						
T18 pag. 074	T39 pag. 075	T44 pag. 075	T45 pag. 076	T30/TX30 pag. 076	T59 pag. 077	T60 pag. 078
						
T52 pag. 079	T31 pag. 080	D99 pag. 081				

## Support base (tripode) Type: D00 e DX00



Df		Zinc plated		Stainless steel AISI 304		Tube	Max static load
Bore for tubes of		bolts and nuts		bolts and nuts		unthreading load	allowed
(mm)	(Inches)	Type	Code	Type	Code	(N)	(N)
60,3	2"	D00A	CP000001	DX00A	CP000006	9600	15800
50,8	-	D00B	CP000002	DX00B	CP000007		
48,3	1"1/2	D00C	CP000003	DX00C	CP000008		
42,4	1"1/4	D00D	CP000004	DX00D	CP000009		
45x45	tubo quadro	D00E	CP000005	DX00E	CP000010		

## Support base (bipode at 120°) Type: D01 e DX01



Df		Df1		Zinc plated		Stainless steel AISI 304		Tube	Max static load
Bore for tubes of		Bore for tubes of		bolts and nuts		bolts and nuts		unthreading load	allowed
(mm)	(Inches)	(mm)	(Inches)	Type	Code	Type	Code	(N)	(N)
60,3	2"	48,3	1"1/2	D01A	CP000011	DX01A	CP000018	9600	15800
60,3	2"	42,4	1"1/4	D01B	CP000012	DX01B	CP000019		
50,8	-	48,3	-	D01C	CP000013	DX01C	CP000020		
50,8	-	42,4	-	D01D	CP000014	DX01D	CP000021		
48,3	1"1/2	48,3	1"1/2	D01E	CP000015	DX01E	CP000022		
48,3	1"1/2	42,4	1"1/4	D01F	CP000016	DX01F	CP000023		
42,4	1"1/4	42,4	1"1/4	D01G	CP000017	DX01G	CP000024		

**MATERIALS:** Base made of reinforced polyamide black colour; threaded bushing made of brass; fixing bolts and nuts made of stainless steel AISI 304 or zinc plated steel.

**FEATURES:** Max tightening torque 3,6 Kg.m.


BOX QUANTITY: 8 pieces.

ON REQUEST:

- Bases: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.
- Assembling of: Bolts and nuts.




## Support base (bipode at 180°) Type: D02 e DX02



Df Bore for tubes of		Df1 Bore for tubes of		Zinc plated bolts and nuts		Stainless steel AISI 304 bolts and nuts		Tube unthreading load	Max static load allowed
(mm)	(Inches)	(mm)	(Inches)	Type	Code	Type	Code	(N)	(N)
60,3	2"	48,3	1"1/2	D02A	CP000025	DX02A	CP000032	9600	15800
60,3	2"	42,4	1"1/4	D02B	CP000026	DX02B	CP000033		
50,8	-	48,3	-	D02C	CP000027	DX02C	CP000034		
50,8	-	42,4	-	D02D	CP000028	DX02D	CP000035		
48,3	1"1/2	48,3	1"1/2	D02E	CP000029	DX02E	CP000036		
48,3	1"1/2	42,4	1"1/4	D02F	CP000030	DX02F	CP000037		
42,4	1"1/4	42,4	1"1/4	D02G	CP000031	DX02G	CP000038		

## Support base (bipode at 180°) Type: D03 e DX03



Df Bore for tubes of		Zinc plated bolts and nuts		Stainless steel AISI 304 bolts and nuts		Tube unthreading load	Max static load allowed
(mm)	(Inches)	Type	Code	Type	Code	(N)	(N)
60,3	2"	D03A	CP000039	DX03A	CP000043	9600	15800
50,8	-	D03B	CP000040	DX03B	CP000044		
48,3	1"1/2	D03C	CP000041	DX03C	CP000045		
42,4	1"1/4	D03D	CP000042	DX03D	CP000046		

**MATERIALS:** Base made of reinforced polyamide black colour; threaded bushing made of brass; fixing bolts and nuts made of stainless steel AISI 304 or zinc plated steel.


**FEATURES:** Max tightening torque 3,6 Kg-m.

**BOX QUANTITY:** 8 pieces.

**ON REQUEST:**


- Bases: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.
- Assembling of: Bolts and nuts.

## Bearing head Type: D12 e DX12



Df Bore for tubes of		Zinc plated bolts and nuts		Stainless steel AISI 304 bolts and nuts	
(mm)	(Inches)	Type	Code	Type	Code
48,3	1"1/2	D12A	CP000047	DX12A	CP000049
50,8	-	D12B	CP000048	DX12B	CP000050

## Bearing head Type: D08 e DX08



Df Bore for tubes of		Zinc plated bolts and nuts		Stainless steel AISI 304 bolts and nuts	
(mm)	(Inches)	Type	Code	Type	Code
60,3	2"	D08A	CP000051	DX08A	CP000056
50,8	-	D08B	CP000052	DX08B	CP000057
48,3	1"1/2	D08C	CP000053	DX08C	CP000058
42,4	1"1/4	D08D	CP000054	DX08D	CP000059
45x45	tubo quadro	D08E	CP000055	DX08E	CP000060

MATÉRIAUX: Tête en polyamide renforcé couleur noir; boulons de serrage en acier inox AISI 304 ou acier zingué.


CARACTÉRISTIQUES: Couple maximal de serrage 3,6 Kg·m.

CONDITIONNEMENT: 8 pièces.

SUR DEMANDE:


- Têtes: En polypropylène renforcé, dans différentes couleurs.
- Conditionnement: Hors standard.
- Assemblage de: vis, écrous et rondelles.

## Side mounting top bracket Type: D11 e DX11



Df Bore for tubes of		Zinc plated bolts and nuts		Stainless steel AISI 304 bolts and nuts	
(mm)	(Inches)	Type	Code	Type	Code
48,3	1 1/2	D11	CP000061	DX11	CP000062

## Side mounting top bracket Type: D07 e DX07



Df Bore for tubes of		Zinc plated bolts and nuts		Stainless steel AISI 304 bolts and nuts	
(mm)	(Inches)	Type	Code	Type	Code
60,3	2"	D07A	CP000063	DX07A	CP000069
50,8	-	D07B	CP000064	DX07B	CP000070
48,3	1 1/2	D07C	CP000065	DX07C	CP000071
42,4	1 1/4	D07D	CP000066	DX07D	CP000072
45x45	square tube	D07E	CP000067	DX07E	CP000073
48,3	trou	D07F	CP000068	DX07T	CP000074

**MATERIALS:** Top bracket made out of reinforced polyamide black colour; bolts and nuts made out of stainless steel AISI 304 or zinc plated steel.


**FEATURES:** Max tightening torque 3,6 Kg-m.

**BOX QUANTITY:** 8 pieces.

**ON REQUEST:**

- Top brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.
- Assembling of: Bolts and nuts.gg

### Connection joint Type: D10 e DX10



Df Bore for tubes of		Df1 Bore for tubes of		Zinc plated bolts and nuts		Stainless steel AISI 304 bolts and nuts	
(mm)	(Inches)	(mm)	(Inches)	Type	Code	Type	Code
60,3	2"	48,3	1"1/2	D10A	CP000075	DX10A	CP000075
60,3	2"	42,4	1"1/4	D10B	CP000076	DX10B	CP000076
48,3	1"1/2	48,3	1"1/2	D10C	CP000077	DX10C	CP000077
48,3	1"1/2	42,4	1"1/4	D10D	CP000078	DX10D	CP000078
42,4	1"1/4	42,4	1"1/4	D10E	CP000079	DX10E	CP000079

**MATERIALS:** Joint made of reinforced polyamide black colour; bolts and nuts made of stainless steel AISI 304 or zinc plated steel.


**FEATURES:** Max tightening torque 2 Kg-m.

**BOX QUANTITY:** 8 pieces.

**ON REQUEST:**

- Joints: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.
- Assembling of: Bolts and nuts.

### Mounting plate (for drip tray support) Type: D35



Type	Code
D35	CP000085

**MATERIALS:** Plate made of reinforced polyamide black colour; washer made of stainless steel AISI 304.

**FEATURES:** For application on conveyor side to fasten drip tray support.



**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Box Quantity: According to your request.



## Drip tray support Type: D36



Type 1				
L	B	A	Type	Code
(mm)	(mm)	(mm)		
180	35	27	D36A	CP000086
180	35	17	D36B	CP000087
230	35	27	D36C	CP000088

Type 2			
L	B	Type	Code
(mm)	(mm)		
200	35	D36D	CP000089
246	35	D36E	CP000090

Type 3				
L	B	A	Type	Code
(mm)	(mm)	(mm)		
250	35	13	D36F	CP000091

Type 4				
L	B	A	Type	Code
(mm)	(mm)	(mm)		
280	35	27	D36G	CP000092

**MATERIALS:** Support elements made of stainless steel AISI 304; body of coupling made of reinforced polyamide black colour.


**FEATURES:** To be used to support drip trays.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Drip tray supports: Supplied in different shapes and sizes.
- Box Quantity: According to your request.


## Guide rail bracket Type: D13



La (9 mm slot)				
Df Bore for pin of (mm)	With knob		With nut	
	Type	Code	Type	Code
12	D13A	CP000093	D13D	CP000096
14	D13B	CP000094	D13E	CP000097
16	D13C	CP000095	D13F	CP000098

La (11 mm slot)				
Df Bore for pin of (mm)	With knob		With nut	
	Type	Code	Type	Code
12	D13G	CP000099	D13L	CP000102
14	D13H	CP000100	D13M	CP000103
16	D13I	CP000101	D13N	CP000104

## Guide rail bracket (with adjustable head) Type: D14



Df Bore for pin of (mm)	Type	Code
12	D14A	CP000105
14	D14B	CP000106
16	D14C	CP000107

**MATERIALS:** Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, nut and washer made of stainless steel AISI 304.



**FEATURES:** Max tightening torque 4 Kg-m.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**



- Brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

### Guide rail bracket (with adjustable head) Type: D79



Df Bore for pin of (mm)	Type	Code
12	D79A	CP000108
14	D79B	CP000109
16	D79C	CP000110

### Guide rail bracket (with adjustable head) Type: D15



Df Bore for pin of (mm)	La (9 mm slot)		La (11 mm slot)	
	Type	Code	Type	Code
12	D15A	CP000111	D15D	CP000114
14	D15B	CP000112	D15E	CP000115
16	D15C	CP000113	D15F	CP000116

**MATERIALS:** Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, nut and washer made of stainless steel AISI 304.



**FEATURES:** Max tightening torque 4 Kg-m.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**



- Brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Guide rail bracket (with adjustable high type head) Type: D80



Df Bore for pin of (mm)	La (9 mm slot)		La (11 mm slot)	
	Type	Code	Type	Code
12	D80A	CP000117	D80D	CP000120
14	D80B	CP000118	D80E	CP000121
16	D80C	CP000119	D80F	CP000122

## Guide rail bracket (reinforced type with adjustable head) Type: D43



Df Bore for pin of (mm)	Type	Code
12	D43A	CP000123
14	D43B	CP000124
16	D43C	CP000125

**MATERIALS:** Bracket and knob made of reinforced polyamide black colour; hexagonal insert made of nickel plated brass; eyebolt, screw, nut and washer made of stainless steel AISI 304.

**FEATURES:** D43 is used for heavy applications, suitable in conveyors with more ways, both in accumulation and curve. D43 and D80 have max tightening torque of 4 Kg-m.



**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.





### Guide rail bracket (reinforced type with adjustable high type head) Type: D81



Df Bore for pin of (mm)	Type	Code
12	D81A	CP000126
14	D81B	CP000127
16	D81C	CP000128

### Guide rail bracket (with metal adjustable head) Type: D16 e DX16



Df Bore for pin of (mm)	Head made out of nickel plated brass		Head made out of stainless steel AISI 304	
	Type	Code	Type	Code
14 - 16	D16	CP000129	DX16	CP000130

**MATERIALS:** Bracket and knob made out of reinforced polyamide black colour; head made out of stainless steel AISI 304 or nickel plated brass; hexagonal insert made out of nickel plated brass; screw and washer made out of stainless steel AISI 304.



**FEATURES:** Possibility to use pins with diameter 14 and 16 mm. Max tightening torque 4 Kg-m.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.



### Guide rail bracket (with metal adjustable head) Type: D18 e DX18



Df Bore for pin of (mm)	La (9 mm slot)		La (11 mm slot)	
	Head made out of nickel plated brass		Head made out of stainless steel AISI 304	
	Type	Code	Type	Code
14 - 16	D18A	CP000131	DX18A	CP000132

Df Bore for pin of (mm)	La (11 mm slot)		La (11 mm slot)	
	Head made out of nickel plated brass		Head made out of stainless steel AISI 304	
	Type	Code	Type	Code
14 - 16	D18B	CP000133	DX18B	CP000134

### Guide rail bracket (reinforced type with metal adjustable head) Type: D44



Df Bore for pin of (mm)	Head made out of nickel plated brass		Head made out of stainless steel AISI 304	
	Type	Code	Type	Code
	Type	Code	Type	Code
14 - 16	D44	CP000135	DX44	CP000136

**MATERIALS:** Bracket and knob made out of reinforced polyamide black colour; head made out of stainless steel AISI 304 or nickel plated brass; hexagonal insert made out of nickel plated brass; screw and washer made out of stainless steel AISI 304.


**FEATURES:** Possibility to use pins with diameter 14 and 16 mm. Max tightening torque 4 Kg·m. D44 is used for heavy applications, suitable in conveyors with more ways, both in accumulation and curve

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**


- Brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

Guide rail bracket (with adjustable head) Type: D17



Df Bore for pin of (mm)	Type	Code
12	D17A	CP000137
14	D17B	CP000138
16	D17C	CP000139

Guide rail bracket (with adjustable head) Type: D19



Df Bore for pin of (mm)	La (9 mm slot)		La (11 mm slot)	
	Type	Code	Type	Code
12	D19A	CP000140	D19D	CP000143
14	D19B	CP000141	D19E	CP000144
16	D19C	CP000142	D19F	CP000145

MATERIALS: Bracket and head made of reinforced polyamide black colour; eyebolt, nut and washer made of stainless steel AISI 304.



FEATURES: Max tightening torque 4 Kg·m.

BOX QUANTITY: 24 pieces.

ON REQUEST:



- Brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

Guide rail bracket (reinforced type with adjustable head) Type: D55



<b>Df</b> <b>Bore for pin of</b> (mm)	Type	Code
12	D55A	CP000146
14	D55B	CP000147
16	D55C	CP000148

Guide rail bracket (with adjustable head) Type: D09



Type	Code
D09	CP000149

**MATERIALS:** Bracket and head made of reinforced polyamide black colour; eyebolt, nut and washer made of stainless steel AISI 304.

**FEATURES:** Max tightening torque 4 Kg-m. D55 is used for heavy applications, suitable in conveyors with more ways, both in accumulation and curve. D09 is used with heads D21, D22, D23 and D66.



BOX QUANTITY: 24 pieces.

ON REQUEST:

- Brackets: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.





Guide rail bracket (with adjustable head) Type: D20



La (9 mm slot)		La (11 mm slot)	
Type	Code	Type	Code
D20A	CP000150	D20B	CP000151

Guide rail bracket (reinforced type with adjustable head) Type: D42



Type	Code
D42	CP000152

**MATERIALS:** Bracket made of reinforced polyamide black colour.

**FEATURES:** Each type are used with heads D21, D22, D23 and D66 for heavy applications.



D42 is suitable in conveyors with more ways, both in accumulation and curve.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**



- Brackets: In reinforced polypropylene, other colours.

## Head for bracket Type: D22



Df Bore for pin of (mm)	Type	Code
12	D22A	CP000153
14	D22B	CP000154
16	D22C	CP000155

## Head for bracket Type: D21



Df Bore for pin of (mm)	Type	Code
12	D21A	CP000156
14	D21B	CP000157
16	D21C	CP000158

**MATERIALS:** Head made of reinforced polyamide black colour; eyebolt, nut and washer made of stainless steel AISI 304.


**FEATURES:** Each parts are used with bracket D09, D20 and D42. Max tightening torque 4 Kg·m.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**


- Heads: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

### Head for bracket (high type) Type: D66



Df Bore for pin of (mm)	Type	Code
12	D66A	CP000159
14	D66B	CP000160
16	D66C	CP000161

### Head for bracket (metal) Type: D23 e DX23



Df Bore for pin of (mm)	Head made out of nickel plated brass		Head made out of stainless steel AISI 304	
	Type	Code	Type	Code
14 - 16	D23	CP000162	DX23	CP000163

**MATERIALS:** Head made of reinforced polyamide black colour; eyebolt, nuts and washer made of stainless steel AISI 304.

**FEATURES:** The two heads are used with bracket D09, D20 and D42. Max tightening torque 4 Kg-m.


**N.B.:** With D23 there is the possibility to use pins with diameter 14 and 16 mm.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**



- Heads: Made of reinforced polypropylene, other colours.
- Box Quantity: According to your request.

### Spacer for bracket Type: D24






Type	Code
D24	CP000164

### Spacer for bracket Type: D25



Type	Code
D25	CP000165

### Spacer for heads Type: D56



Type	Code
D56	CP000166

N.B.: To use the spacer, it is necessary to change the standard screw with a longer one.

**MATERIALS:** Spacer made of reinforced polyamide black colour.

**FEATURES:** Accessory to be used on brackets D14, D15, D16, D17, D19, D55, D09, D20, D42, D18, D43, D44, D79, D80, D81 to increase heads height. D24 is used with brackets D15, D18, D19, D20, D42, D43, D44, D55, D80, D81 and D25 is used with D13, D14, D16, D17, D09 and D79.


**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Spacers: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.




Guide rail clamp (for rectangular rails) Type: D89



Dp Pin diameter (mm)	With pin		Without pin	
	Type	Code	Type	Code
12	D89A	CP000167		
14	D89B	CP000168	D89D	CP000170
16	D89C	CP000169		

Guide rail clamp (for round rails) Type: D29



Dp Pin diameter (mm)	With pin		Without pin	
	Type	Code	Type	Code
12	D29A	CP000171		
14	D29B	CP000172	D29D	CP000174
16	D29C	CP000173		

**MATERIALS:** Clamp made of reinforced polyamide black colour; pin, nut and washer made of stainless steel AISI 304.


**FEATURES:** Supplied with or without support pin.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Guide rail clamp (for trapezoidal rails) Type: D30



Dp Pin diameter (mm)	With pin		Without pin	
	Type	Code	Type	Code
12	D30A	CP000175		
14	D30B	CP000176	D30D	CP000178
16	D30C	CP000177		

**MATERIALS:** Clamp made of reinforced polyamide black colour; pin, nut and washer made of stainless steel AISI 304.


**FEATURES:** Supplied with or without support pin. This part can be used with rails with thickness of 1,5 and 2 mm, by rotating for 90° the central plate.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Guide rail clamp (for round rails) Type: D31



Dg Rail diameter (mm)	l (mm)	Type	Code
8	16	D31A	CP000179
10	15	D31B	CP000180
12	15	D31C	CP000181
14	15	D31D	CP000182

**MATERIALS:** Clamp made of reinforced polyamide black colour; screws and nuts made of stainless steel AISI 304.


**FEATURES:** Supplied assembled. To be used with flat support with sizes 25x8 mm.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Guide rail clamp (for trapezoidal rails) Type: D32



Type	Code
D32	CP000183

**MATERIALS:** Clamp made of reinforced polyamide black colour; screws and nuts made of stainless steel AISI 304.


**FEATURES:** Supplied assembled. To be used with flat support with sizes 25x8 mm. This part can be used with rails with thickness of 1,5 and 2 mm.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Guide rail clamp (for round rails) Type: T46



Dg Rail diameter (mm)	l (mm)	Type	Code
8	30	T46A	CP000184
10	29.5	T46B	CP000185
12	29.5	T46C	CP000186
14	28.7	T46D	CP000187


**MATERIALS:** Clamp made of reinforced polyamide black colour; threaded insert in nickel plated brass; bolts and nuts in stainless steel AISI 304.

**FEATURES:** Designed appositely to be assembled directly on the pneumatic cylinder for the rails regulation. Supplied assembled.

**BOX QUANTITY:** 24 pieces.


**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.



Example of application

## Guide rail clamp (for rectangular rails) Type: D91



Type	Code
D91	CP000188

**MATERIALS:** Clamp made of reinforced polyamide black colour; screws and nuts made of stainless steel AISI 304.


**FEATURES:** Supplied assembled. To be used with flat profile with sizes 25x8 mm.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Guide rail clamp (for trapezoidal rails) Type: T47



Type	Code
T47	CP000189


**MATERIALS:** Clamp made of reinforced polyamide black colour; threaded insert in nickel plated brass; bolts and nuts in stainless steel AISI 304.

**FEATURES:** designed appositely to be assembled directly on the pneumatic cylinder for the rails regulation. Supplied assembled.

**BOX QUANTITY:** 24 pieces.




**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.



Example of application




### Guide rail clamp (for round rails) Type: T48



Example of application

Type	Code
T48	CP000190

### Guide rail clamp (for rectangular rails) Type: T49



Example of application

Type	Code
T49	CP000191

**MATERIALS:** Clamp made of reinforced polyamide black colour; threaded insert in nickel plated brass; bolts and nuts in stainless steel AISI 304.


**FEATURES:** Designed appositely to be assembled directly on the pneumatic cylinder for the rails regulation. Supplied assembled.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**


- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

### Guide rail clamp (for rectangular rail) Type: D90



Dp Pin diameter (mm)	With pin with bolts and nuts		Without pin with bolts and nuts		Without pin, bolts and nuts	
	Type	Code	Type	Code	Type	Code
12	D90A	CP000192				
14	D90B	CP000193	D90D	CP000195	D90E	CP000196
16	D90C	CP000194				

### Guide rail clamp (for trapezoidal rail) Type: D05



Dp Pin diameter (mm)	With pin with bolts and nuts		Without pin with bolts and nuts		Without pin, bolts and nuts	
	Type	Code	Type	Code	Type	Code
12	D05A	CP000197				
14	D05B	CP000198	D05D	CP000200	D05E	CP000201
16	D05C	CP000199				

**MATERIALS:** Clamp made of reinforced polyamide black colour; pin, bolts and nuts made of stainless steel AISI 304.

**FEATURES:** Supplied with or without support pin and with or without bolts and nuts. D05 can be used with rails with thickness of 1,5 and 2 mm.


**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request. Conditionnement: Hors standard.



## Guide rail clamp (for round rail) Type: D04



Dp Pin diameter (mm)	Dg Rail diameter (mm)	With pin with bolts and nuts	
		Type	Code
12	8	D04A	CP000202
	10	D04B	CP000203
	12	D04C	CP000204
	14	D04D	CP000205
14	8	D04E	CP000206
	10	D04F	CP000207
	12	D04G	CP000208
	14	D04H	CP000209
16	8	D04I	CP000210
	10	D04L	CP000211
	12	D04M	CP000212
	14	D04N	CP000213

Dg Rail diameter (mm)	Without pin with bolts and nuts	
	Type	Code
8	D04O	CP000214
10	D04P	CP000215
12	D04Q	CP000216
14	D04R	CP000217

Dg Rail diameter (mm)	Without pin	
	Type	Code
8	D04S	CP000218
10	D04T	CP000219
12	D04U	CP000220
14	D04V	CP000221

**MATERIALS:** Clamp made of reinforced polyamide black colour; pin, bolts and nuts made of stainless steel AISI 304.


**FEATURES:** Supplied with or without support pin and with or without bolts and nuts.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.


## Threaded pin Type: T01



D (mm)	L (mm)	M (mm)	Type 1	
			Type	Code
14	100	M8	T01A	CP000222

D (mm)	L (mm)	M (mm)	Type 2	
			Type	Code
12	117	M10	T01B	CP000223
14	117	M10	T01C	CP000224
16	117	M10	T01D	CP000225

Example of application



**MATERIALS:** Pin made of stainless steel AISI 304.

**FEATURES:** Type 1: can be mounted both on guide rail clamps or on side guides;

Type 2: used for the mounting of Part. 289, 229, 230, 290, 204, 205.



**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Pins: In various lengths.
- Box Quantity: According to your request.



### Spacer for chain profile Type: T02



Df Bore diameter	D	L	Type	Code
(mm)	(mm)	(mm)		
7	20	20	T02A	CP000226
7	20	27,5	T02B	CP000227

**MATERIALS:** Spacer made of reinforced polyamide black colour.




**FEATURES:** To be used as fixing spacer for chain profiles.

**BOX QUANTITY:** 96 pieces.

**ON REQUEST:**

- Spacers: With special bores and sizes.
- Box Quantity: According to your request.

### Spacer for rail-holder cylinder Type: T16



Example of application

Df Bore diameter	D	L	Type	Code
(mm)	(mm)	(mm)		
8	16	2,5	T16A	CP000228
8	16	5	T16B	CP000229

**MATERIALS:** Spacer made of polyamide black colour.


**FEATURES:** To be used as spacer for the stroke regulation of rail-holder pneumatic cylinder.

**BOX QUANTITY:** 96 pieces.

**ON REQUEST:**



- Spacers: With special bores and sizes.
- Box Quantity: According to your request.

Clamp support for photocells (for photocells and reflectors) Type: D06




Df Bore for pin of (mm)	Type	Code
12	D06A	CP000230 (can be used also with square pins 10x10)
14	D06B	CP000231
15	D06C	CP000232
16	D06D	CP000233
18	D06E	CP000234
20	D06F	CP000235

« T » clamp (to support rails and photocells) Type: D38



Df round (mm)	Qf square (mm)	Type	Code
10	8	D38A	CP000236
12	10	D38B	CP000237
14	12	D38C	CP000238



Example of application

**MATERIALS:** Clamp made of reinforced polyamide black colour; screw and nuts made of stainless steel AISI 304.



**FEATURES:** Possibility of assembly in various positions. D38 can be used with round and square pins either.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: With different bores sizes, in reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Spacer for clamp (for « T » clamp, D38) Type: T24



Type	Code
T24	CP000239


**MATERIALS:** Spacer made of reinforced polyamide black colour.

**FEATURES:** Accessory to be applied to "T" clamp, D38.

**BOX QUANTITY:** 24 pieces.


**ON REQUEST:**

- Spacers: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.



Example of application

## Cross clamp Type: D39



Example of application

Bore for pin of		Bore for pin of		Type	Code
Df1 round	Qf1 square	Df2 round	Qf2 square		
(mm)	(mm)	(mm)	(mm)		
10	8	10	8	D39A	CP000240
12	10	12	10	D39B	CP000241
14	12	14	12	D39C	CP000242

**MATERIALS:** Clamp made of reinforced polyamide black colour; screws and nuts made of stainless steel AISI 304.


**FEATURES:** This part can be used with round and square pins either.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: With different bores sizes, in reinforced polypropylene, other colours.
- Box Quantity: According to your request.


Bore for pin of		Without blocking pin		With blocking pin	
Df round (mm)	Qf square (mm)				
10	8	D37A	CP000243	D37D	CP000246
12	10	D37B	CP000244	D37E	CP000247
14	12	D37C	CP000245	D37F	CP000248



Bore for pin of		Type 1 (for photocells)		Type 2 (for reflectors)	
Df round (mm)	Qf square (mm)				
10	8	D40A	CP000249	D40D	CP000252
12	10	D40B	CP000250	D40E	CP000253
14	12	D40C	CP000251	D40F	CP000254

- Clamps: With different bores sizes, in reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Cross clamp Type: D41



Bore for pin of		Bore for pin of		Type	Code
Df1 round	Qf1 square	Df2 round	Qf2 square		
(mm)	(mm)	(mm)	(mm)		
14	12	14	12	D41A	CP000255
15	-	15	-	D41B	CP000256
16	-	16	-	D41C	CP000257
18	-	18	-	D41D	CP000258
20	-	20	-	D41E	CP000259

**MATERIALS:** Clamp made of reinforced polyamide black colour; screws and nuts made of stainless steel AISI 304.



**FEATURES:** This part can be used with round and square pins either, only in the version Df1 14.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Clamps: With different bores sizes, in reinforced polypropylene, other colours.
- Box Quantity: According to your request.



### Cross block Type: D97



Example of application

Df1 Bore for pin of (mm)	Df2 Bore for pin of (mm)	Type	Code
12	12	D97	CP000260

### Cross block Type: T12



Example of application

Df1 Bore for pin of (mm)	Df2 Bore for pin of (mm)	Type	Code
12	12	T12A	CP000261
14	14	T12B	CP000262
16	16	T12C	CP000263

**MATERIALS:** Housing in reinforced polyamide black colour and knob in reinforced polyamide orange colour; eyebolts in stainless steel AISI 304; threaded insert in nickel plated brass.


**FEATURES:** To be used to support the rail-holder pins.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**


- Housings and Knobs: in reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Knob for bracket Type: D26




Type	Code
D26	CP000264

## Knob for bracket Type: D27



Type	Code
D27	CP000265

## Knob for bracket Type: D28



Type	Code
D28	CP000266

MATERIALS: Knob made of reinforced polyamide black colour; threaded bushing made of brass.

FEATURES: Accessories D26, D7 are used with heads D21 and D66, while D28 is used with heads D23.


BOX QUANTITY: 24 pieces.

ON REQUEST:

- Knobs: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.




Knob for bracket (reinforced type) Type: D46




Type	Code
D46	CP000267

Knob for bracket (reinforced type) Type: D47



Type	Code
D47	CP000268

Knob for bracket (reinforced type) Type: D48



Type	Code
D48	CP000269

**MATERIALS:** Knob made of reinforced polyamide black colour; threaded bushing is made of brass.


**FEATURES:** Accessories D46, D47 are applied to our heads D21 and D66., while D48 is applied to D23.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**


- Knobs: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Knob for bracket (short type) Type: T13




Type	Code
T13	CP000270

## Manette de serrage (short type) Type: T14



Type	Code
T14	CP000271

## Manette de serrage (short type) Type: T15



Type	Code
T15	CP000272

MATERIALS: Knob made of reinforced polyamide orange colour; threaded bushing made of nickel plated brass.



FEATURES: Accessories T13, T14 are used with heads D21 and D66, while T15 is used with D23.

BOX QUANTITY: 24 pieces.

ON REQUEST:



- Knobs: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

Round handle (ø 44 mm) Type: T34





Type	Code
T34	CP000273

Round handle (ø 44 mm) Type: T37



Type	Code
T37	CP000274

Round handle (ø 44 mm) Type: T38



Type	Code
T38	CP000275

**MATERIALS:** Handle made of reinforced polyamide black colour; threaded bushing made of nickel plated brass.


**FEATURES:** Accessories T36, T37 are used with heads D21 and D66, while T38 is used with D23.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**


- Handles: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## "T" handle Type: T03




Type	Code
T03	CP000276

## "T" handle Type: T04



Type	Code
T04	CP000277

## "T" handle Type: T05




Type	Code
T05	CP000278

**MATERIALS:** Handle is made of reinforced polyamide black colour; threaded bushing is made of nickel plated brass.


**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Handles: made of reinforced polypropylene, other colours.
- Box Quantity: According to your request.




- Knobs: In reinforced polypropylene, other colours, with customized brand.
- Box Quantity: According to your request.





- **Handles:** With threaded inserts M8, M10, M12, with different lengths; also available in stainless steel AISI 304.
- **Box Quantity:** According to your request.

The diagram shows a Cartesian coordinate system with a horizontal x-axis and a vertical y-axis. A shaded region is located in the first quadrant, bounded by a solid curve that is concave towards the origin. Inside this shaded region, there are several concentric dashed curves, including a hexagon and a circle, all centered at the origin. The curves are nested, with the hexagon being the innermost and the circle being the outermost of the dashed shapes shown.





ON REQUEST: • Knobs: made of reinforced polypropylene, in other colours. • Box  
Quantity: According to your request.

## Hinge Type: D33



A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Type	Code
34	50	5,5	10,5	3,5	34	D33A	CP000284
31	50	5,5	9	5	30	D33B	CP000285
40	70	6,5	10,5	6	30	D33C	CP000286
46	70	6,5	10,5	6	30	D33D	CP000287
46	70	8,5	13,5	5	30	D33E	CP000288

## Hinge Type: D34



C (mm)	D (mm)	E (mm)	Type	Code
6,5	10,5	6	D34A	CP000289
8,5	13,5	8	D34B	CP000290

**MATERIALS:** Hinge made of reinforced polyamide black colour; pin made of stainless steel AISI 304.


**FEATURES:** Maximum rotation 270°

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Hinges: In reinforced polypropylene, other colours.
- Box Quantity: According to your request.

### Idler wheel for chain return Type: D68



Df Bore for pin of (mm)	Type	Code
20	D68	CP000291

**MATERIALS:** Wheel in polyamide black colour.


**FEATURES:** To be assembled in the chain return near to the sprocket.

**BOX QUANTITY:** 12 pieces.

**ON REQUEST:**

- Wheels: Other bore sizes, materials and colours.
- Box Quantity: According to your request.

### Flange for chain guide (for idler wheel D68) Type: D69



Df Bore for shaft of (mm)	Type	Code
20	D69	CP000292

**MATERIALS:** Flange is made of polyamide black colour; self-threading screws are made of stainless steel AISI 304.

**FEATURES:** To be assembled to our idler wheel D68 for chain guide. Supplied complete with blocking screws.


**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Flanges: Other bore sizes, materials and colours.
- Box Quantity: According to your request.




### Split idler wheel 21 teeth (for chains series 812-815-820-831) Type: T11



Df Bore for shaft of (mm)	Type	Code
25	T11A	CP000293
30	T11B	CP000294
35	T11C	CP000295
40	T11D	CP000296

### Split idler wheel 25 teeth (for chains series 812-815-820-831) Type: D85



Df Bore for pin of (mm)	Type	Code
25	D85A	CP000297
30	D85B	CP000298
35	D85C	CP000299
40	D85D	CP000300

**MATERIALS:** Wheel made of polyamide black colour; bolts and nuts made of stainless steel AISI 304.


**FEATURES:** Supplied assembled. To be used for chain return in the series 812, 815, 820, 831.

**BOX QUANTITY:** 12 pieces.

**ON REQUEST:**

- Wheels: With special bores, other colours.
- Box Quantity: According to your request.

Split idler wheel 25 teeth (for chains series 879 Tab, 880 Tab, 881 Tab) Type: T10



Df Bore for shaft of (mm)	Type	Code
20	T10A	CP000301
25	T10B	CP000302
30	T10C	CP000303
35	T10D	CP000304
40	T10E	CP000305

**MATERIALS:** Wheel made of polyamide black colour; bolts and nuts made of stainless steel AISI 304.


**FEATURES:** Supplied assembled. To be used for chain return in series 879 Tab, 880 Tab and 881 Tab.

**BOX QUANTITY:** 12 pieces.

**ON REQUEST:**


- Wheels: With special bores, other colours.
- Box Quantity: According to your request.

## Bagues d'arret Type: D88




With Keyway							
Df (mm)	A (mm)	S (mm)	M (mm)	B (mm)	T (mm)	Type	Code
20	40	14	M4	6	22,8	D88A	CP000306
25	50	14	M5	8	28,3	D88B	CP000307
30	50	14	M5	8	33,3	D88C	CP000308
35	65	14	M5	10	38,3	D88D	CP000309
40	65	14	M5	12	43,3	D88E	CP000310


Without Keyway					
Df (mm)	A (mm)	S (mm)	M (mm)	Type	Code
12	35	13	M4	D88F	CP000311
14	35	13	M4	D88G	CP000312
16	35	13	M4	D88H	CP000313
18	40	14	M4	D88I	CP000314
20	40	14	M4	D88L	CP000315
25	50	14	M5	D88M	CP000316
30	50	14	M5	D88N	CP000317
35	65	14	M5	D88O	CP000318
40	65	14	M5	D88P	CP000319




Sprockets



Idler wheels



rollers for chain return



guide rail bracket

**MATERIALS:** Collars made out of reinforced polyamide black colour; bolt and nuts made out of stainless steel AISI 304.


**FEATURES:** Supplied assembled. To be assembled on the shaft to obtain wheels axial blocking; to be assembled on pins for guides supporting to adjust the position of guides according to the bottle size.

**BOX QUANTITY:** 96 pieces.

**ON REQUEST:** • Collars: With special bores, other colours. • Box Quantity: According to your request.


Example of applications

## Roller for chain return (with flange) Type: D50



Df Bore for pin of (mm)	Without cap closure		With cap closure	
	Type	Code	Type	Code
15	D50A	CP000320	D50E	CP000324
16	D50B	CP000321	D50F	CP000325
18	D50C	CP000322	D50G	CP000326
20	D50D	CP000323	D50H	CP000327

## Roller for chain return (without flange) Type: D51



Df Bore for pin of (mm)	Without cap closure		With cap closure	
	Type	Code	Type	Code
15	D51A	CP000328	D51E	CP000332
16	D51B	CP000329	D51F	CP000333
18	D51C	CP000330	D51G	CP000334
20	D51D	CP000331	D51H	CP000335

**MATERIALS:** Roller made out of polyamide black colour; cap made out of polyamide grey colour.




**FEATURES:** To be assembled in the chain return.

**BOX QUANTITY:** 96 pieces.

**ON REQUEST:**


- Rollers: Special bores, other colours.
- Box Quantity: According to your request.

## Roller for chain return (with flange) Type: D52



With cap closure




Without cap closure



Example of application

Df Bore for pin of (mm)	Without cap closure		With cap closure	
	Type	Code	Type	Code
12	D52A	CP000336	D52I	CP000344
14	D52B	CP000337	D52L	CP000345
15	D52C	CP000338	D52M	CP000346
16	D52D	CP000339	D52N	CP000347
18	D52E	CP000340	D52O	CP000348
20	D52F	CP000341	D52P	CP000349
25	D52G	CP000342	-	-
30	D52H	CP000343	-	-


## Roller for chain return (with double flange) Type: D96



With cap closure

Without cap closure

Example of application



Df Bore for pin of (mm)	Without cap closure		With cap closure	
	Type	Code	Type	Code
12	D96A	CP000350	D96G	CP000356
14	D96B	CP000351	D96H	CP000357
15	D96C	CP000352	D96I	CP000358
16	D96D	CP000353	D96L	CP000359
18	D96E	CP000354	D96M	CP000360
20	D96F	CP000355	D96N	CP000361

MATERIALS: Roller made out of polyamide black colour; cap made out of polyamide grey colour.


FEATURES: To be assembled in the chain return.

BOX QUANTITY: 48 pieces.

ON REQUEST:


- Rollers: Special bores, other colours.
- Box Quantity: According to your request.

## Roller for chain return (without flange) Type: D53



Df Bore for pin of (mm)	Without cap closure				With cap closure			
	L = 82 mm		L = 84 mm		L = 82 mm		L = 84 mm	
	Type	Code	Type	Code	Type	Code	Type	Code
12	D53A	CP000362	D53G	CP000368	D53Q	CP000376	D53Z	CP000382
14	D53B	CP000363	D53H	CP000369	D53R	CP000377	D53W	CP000383
15	D53C	CP000364	D53I	CP000370	D53S	CP000378	D53X	CP000384
16	D53D	CP000365	D53L	CP000371	D53T	CP000379	D53Y	CP000385
18	D53E	CP000366	D53M	CP000372	D53U	CP000380	D53J	CP000386
20	D53F	CP000367	D53N	CP000373	D53V	CP000381	D53K	CP000387
25	-	-	D53O	CP000374	-	-	-	-
30	-	-	D53P	CP000375	-	-	-	-

## Roller for chain return (with flange) Type: D70



Df Bore for pin of (mm)	Type	Code
15	D70A	CP000388
20	D70B	CP000389

**MATERIALS:** Roller made out of polyamide black colour; cap made out of polyamide grey colour.


**FEATURES:** To be assembled in the chain return.

**BOX QUANTITY:** D53: 48 pieces. D70: 96 pieces.

**ON REQUEST:**

- Rollers: Special bores, other colours.
- Box Quantity: According to your request.


## Roller for chain return (without flange) Type: D71



Example of application

Df Bore for pin of (mm)	Type	Code
15	D71A	CP000390
20	D71B	CP000391

## Roller for chain return (with flange) Type: D73



Example of application

Df Bore for pin of (mm)	Type	Code
12	D73A	CP000392
16	D73B	CP000393
18	D73C	CP000394
20	D73D	CP000395

MATERIALS: Roller made of polyamide black colour.

FEATURES: To be assembled in the chain return.



BOX QUANTITY: 96 pieces.

ON REQUEST:


- Rollers: Special bores, other colours.
- Box Quantity: According to your request.



## Double roller for chain return (with central flange) Type: D74





Df Bore for pin of (mm)	Type	Code
12	D74A	CP000396
16	D74B	CP000397
18	D74C	CP000398
20	D74D	CP000399




Example of application

## Double roller for chain return (with central flange) Type: D87



Df Bore for pin of (mm)	Type	Code
12	D87A	CP000400
16	D87B	CP000401
18	D87C	CP000402
20	D87D	CP000403



Example of application

**MATERIALS:** Roller made of polyamide black colour.


**FEATURES:** To be assembled in the chain return.

**BOX QUANTITY:** 96 pieces.


**ON REQUEST:**

- Rollers: Special bores, other colours.
- Box Quantity: According to your request.

## Double roller for chain return (without central flange) Type: D86




Df Bore for pin of (mm)	Type	Code
12	D86A	CP000404
16	D86B	CP000405
18	D86C	CP000406
20	D86D	CP000407




Example of application

## Spacer for rollers for chain return Type: D75



Df Bore for pin of (mm)	Type	Code
12	D75A	CP000408
16	D75B	CP000409
18	D75C	CP000410
20	D75D	CP000411



Example of application

MATERIALS: Roller made of polyamide black colour.


FEATURES: D86 is used in the chain return, while D75 is used like roller's spacer.

BOX QUANTITY: 96 pieces.

ON REQUEST:

- Rollers: Special bores, other colours.
- Box Quantity: According to your request.

## Spacer for rollers for chain return Type: D72



Df Bore for pin of (mm)	Type	Code
15	D72A	CP000412
20	D72B	CP000413


MATERIALS: Spacer made of polyamide black colour.

FEATURES: To be assembled in the chain return.

BOX QUANTITY: 96 pieces.




ON REQUEST:

- Spacers: Special bores, other colours.
- Box Quantity: According to your request.



Example of application

## Self-adjusting sliding shoe for chain return Type: D67



Df Bore for pin of (mm)	Polyamide (black colour)		Polyethylene (green colour)	
	Type	Code	Type	Code
18	D67A	CP000414	D67C	CP000416
20	D67B	CP000415	D67D	CP000417

MATERIALS: Sliding shoe is made of polyamide black colour or of polyethylene green colour.



FEATURES: To be assembled in the chain return near to the sprocket. Snap-on assembly.

BOX QUANTITY: 12 pieces.

ON REQUEST:

- Sliding shoes: Other bore sizes, and colours.
- Box Quantity: According to your request.



## Roller with rubber for chain return (with flange) Type: D49



Example of application

Df Bore for pin of (mm)	Type	Code
15	D49A	CP000418
16	D49B	CP000419
18	D49C	CP000420
20	D49D	CP000421

## Roller with rubber for chain return (without flange) Type: D45



Example of application

Df Bore for pin of (mm)	Type	Code
15	D45A	CP000422
16	D45B	CP000423
18	D45C	CP000424
20	D45D	CP000425

**MATERIALS:** Internal part is made of polyamide black colour; external rubber is made of PVC grey colour 65 shore.


**FEATURES:** This roller is completely closed, total lack of internal cavities to obtain the maximum level of cleanability and noiselessness during working operations.

**BOX QUANTITY:** 48 pieces.

**ON REQUEST:**

- Rollers: Special bores, other colours.
- Box Quantity: According to your request.

## Roller with rubber for chain return (without flange) Type: D93




Part. D93

Example of application

Df Bore for pin of (mm)	L = 82 mm		L = 84 mm	
	Type	Code	Type	Code
12	D93A	CP000426	D93G	CP000431
15	D93B	CP000427	D93H	CP000432
16	D93C	CP000428	D93I	CP000433
18	D93D	CP000429	D93L	CP000434
20	D93E	CP000430	D93M	CP000435

## Roller with rubber for chain return (without flange) Type: D76



Part. D76

Example of application

Df Bore for pin of (mm)	L = 82 mm		L = 84 mm	
	Type	Code	Type	Code
12	D76A	CP000436	D76G	CP000441
15	D76B	CP000437	D76H	CP000442
16	D76C	CP000438	D76I	CP000443
18	D76D	CP000439	D76L	CP000444
20	D76E	CP000440	D76M	CP000445

**MATERIALS:** Internal part is made of polyamide black colour; external rubber is made of PVC grey colour 65 shore.



**FEATURES:** This roller is completely closed, total lack of internal cavities to obtain the maximum level of cleanability and noiselessness during working operations.

**BOX QUANTITY:** 48 pieces.

**ON REQUEST:**

- Rollers: Special bores, other colours.
- Box Quantity: According to your request.

## Flange for chain guide (for roller D51, D52, D53, D45, D93, D50, D49) Type: D54





Example of application



Df Bore for pin of (mm)	Type	Code
12	D54A	CP000446
14	D54B	CP000447
15	D54C	CP000448
16	D54E	CP000449
18	D54F	CP000450
20	D54G	CP000451

## Flange for chain guide (for roller D76, D71, D70) Type: D82



Example of application



Df Bore for pin of (mm)	Type	Code
15	D82A	CP000452
16	D82B	CP000453
18	D82C	CP000454
20	D82E	CP000455

MATERIALS: Flange is made of polypropylene black colour.


FEATURES: D54 is assembled to our roller for chain return D51, D52, D53, D45, D93, D50, D49. D82 is assembled to rollers D76, D71 and D70.

BOX QUANTITY: 96 pieces.

ON REQUEST:


- Flanges: Special bores, other colours.
- Box Quantity: According to your request.

## Threaded bushings (for conveyor flanks) Type: T36




Dimensions du tube										Type	Code
Externe	Épaisseur	Interne	Filetage	D1	D2	H	L	M	N		
(mm)	(mm)	(mm)	D	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)		
20x20	1,5	17x17	M8	20x20	17x17	5	28	13	18	T36	CP000456

## Embouts filetés (pour le côté du convoyeur) Type: T35



Tube dimensions										Type	Code
Outside	Thickness	Inside	Thread	D1	D2	H	L	M	N		
(mm)	(mm)	(mm)	D	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)		
20x50	2	16x46	M8	20x50	16x46	5	28	13	18	T35	CP000457



**MATERIALS:** Bush in reinforced polyamide black colour; threaded insert in brass.

**FEATURES:** Supplied assembled. To be assembled in the conveyor flanks.



**BOX QUANTITY:** 48 pieces.

**ON REQUEST:**


- Bushes: Special thickness tube.
- Box Quantity: According to your request.



## Expansion plugs Type: D83



## Example of application



Tube dimensions										Type 1	
Outside (mm)	Thickness (mm)	Inside (mm)	D (mm)	D1 (mm)	D2 (mm)	H (mm)	L (mm)	M (mm)	N (mm)	Type	Code
20	1,5	17	M8	17	8,5	6,5	40	18	28	D83A	CP000458
25	1,5	22	M10	22	10,5	8	51	23	36	D83B	CP000459

Tube dimensions										Type 2	
Outside (mm)	Thickness (mm)	Inside (mm)	D (mm)	D1 (mm)	D2 (mm)	H (mm)	L (mm)	M (mm)	N (mm)	Type	Code
20	1,5	17	M8	17	8,5	6,5	40	19	29	D83C	CP000460

**MATERIALS:** Bush in reinforced polyamide black colour; threaded insert in brass.










**FEATURES:** Supplied assembled. To be assembled in the conveyor flanks.

**BOX QUANTITY:** 48 pieces.

**ON REQUEST:**

- Bushes: Special thickness tube.
- Box Quantity: According to your request.

## Bushing for eyebolt Type: T33



Example of application

H	H1	Low type	
(mm)	(mm)	Type	Code
20	7,3	T33A	CP000461

H	H1	High type	
(mm)	(mm)	Type	Code
26	13,3	T33B	CP000462

**MATERIALS:** Bushing made of reinforced polyamide black colour.


**FEATURES:** To be used with the eyebolts to block the pins holding the transport guides.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Bushings: With different heights, in reinforced polypropylene, other colours.
- Box Quantity: According to your request.

## Bearing-holder flange Type: T00



**MATERIALS:** Flange is made of polyamide black colour.


**FEATURES:** To be inserted in the tube sides  $D=60,3$  thickness 1,5 mm to build a roller conveyor or rollers for chain return. Supplied without bearing.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Flanges: Supplied assembled with bearings.
- Box Quantity: According to your request.

## 14 teeth sprocket (for bearing support D64) Type: D65



**MATERIALS:** Drive sprocket is made of polyamide black colour.


**FEATURES:** Accessory to be used with bearing support D64 to make the drive roller to roller. This drive type allows a greater torque.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**


- Sprockets: other colours.
- Box Quantity: According to your request.

### Bearing support for conveyor rollers (for idler roller) Type: D63



Tube dimensions								Bore for pin of	Type	Code	Bearing type
ø outside	Thickness	ø inside	D1	D2	H	L	Df				
(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)			
50	1,5	47	50	47	11	30	12		D63A	CP000465	6202-2RS
50	1,5	47	50	47	11	30	14		D63B	CP000466	6202-2RS

### Bearing support for conveyor rollers (with protective shield) Type: T17



tube dimensions								Bore for pin of	Type	Code	Bearing type
ø outside	Thickness	ø inside	D1	D2	H	L	Df				
(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)			
25	1,5	22	25	22	3	20	8		T17A	CP000467	688/8-2RS
25	1,5	22	25	22	3	20	8		T17B	CP000468	Fourni sans roulements

**MATERIALS:** Bearing support with internal part and external bushing made of polyamide black colour; bearing made of chrome steel.


**FEATURES:** To be inserted in the tube sides to build a roller conveyor.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Bearing supports: other colours.
- Box Quantity: According to your request.

## Bearing support for conveyor rollers (for drive roller) Type: D64



Tube dimensions							Bore for pin of Df (mm)	Fixed drive type		Friction drive type		Bearing type
ø outside (mm)	Thickness (mm)	ø inside (mm)	D1 (mm)	D2 (mm)	H (mm)	L (mm)		Type	Code	Type	Code	
50	1,5	47	50	47	32	83	12	D64A	CP000469	D64C	CP000471	6002-2RS
50	1,5	47	50	47	32	83	14	D64B	CP000470	D64D	CP000472	6002-2RS

**MATERIALS:** Bearing support with protective shield made of polyamide grey colour; external bushing made of polyamide black colour; bearing made of chrome steel.




**FEATURES:** To be inserted in the tube sides to build a roller conveyor. Drive sprocket with 14 teeth for roller chain type DIN 8187-08-b1.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**



- Bearing supports: other colours, bores with different sizes.
- Box Quantity: According to your request.

### Modular transfer plates with rollers (width 115 mm 5 rows of rollers) Type: D57





Type	Code
D57	CP000473

### Modular transfer plates with rollers (width 115 mm 3 rows of rollers) Type: D58



Type	Code
D58	CP000474

### Modular transfer plates with rollers (width 115 mm 2 rows of rollers) Type: D59



Type	Code
D59	CP000475

**MATERIALS:** Modular transfer plate with external module and rollers made of acetal grey colour; pins and fixing bolts and nuts made of stainless steel AISI 304.

**FEATURES:** To be assembled at the end of your conveyor to help the products transfer. Easy to assemble, low friction coefficient, minimum noise level, extremely cleanable.




**BOX QUANTITY:** 8 pieces.

**ON REQUEST:**

- External module and rollers: Can be produced in other colours.





## Modular transfer plates with rollers (width 85 mm 5 rows of rollers) Type: D60





Type	Code
D60	CP000476

## Modular transfer plates with rollers (width 85 mm 3 rows of rollers) Type: D61



Type	Code
D61	CP000477

## Modular transfer plates with rollers (width 85 mm 2 rows of rollers) Type: D62



Type	Code
D62	CP000478

**MATERIALS:** Modular transfer plate with external module and rollers made of acetal grey colour; pins and fixing bolts and nuts made of stainless steel AISI 304.

**FEATURES:** To be assembled at the end of your conveyor to help the products transfer. Easy to assemble, low friction coefficient, minimum noise level, extremely cleanable.




**BOX QUANTITY:** 8 pieces.

**ON REQUEST:**

- External module and rollers: Can be produced in other colours.
- Box Quantity: According to your request.



### Roller side guide (single type, with pearls) Type: T06



Example of application

Type	Code
T06	CP000479

**MATERIALS:** Roller side guide with metal profile in anodized aluminium;  
rollers in polyamide grey colour; support pins in acetal resin white colour.

**FEATURES:** Supplied already assembled, in bars of 3 meters length.



Min. curvature radius: 250 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**

- Roller side guide: Other colours.

### Roller side guide (double type, with pearls) Type: T07



Example of application

Type	Code
T07	CP000480

**MATERIALS:** Roller side guide with metal profile in anodized aluminium;  
rollers in polyamide grey colour; support pins in acetal resin white colour.

**FEATURES:** Supplied already assembled, in bars of 3 meters length.



Min. curvature radius: 500 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**

- Roller side guide: Other colours.

### Roller central guide (single type, with pearls) Type: T08



Type	Code
T08	CP000481

**MATERIALS:** Roller central guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.


**FEATURES:** Supplied already assembled, in bars of 3 meters length.

Min. curvature radius: 500 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).




**ON REQUEST:**

- Roller central guide: Other colours.



Example of application

### Roller central guide (double type, with pearls) Type: T19



Type	Code
T19	CP000482

**MATERIALS:** Roller central guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.


**FEATURES:** Supplied already assembled, in bars of 3 meters length.

Min. curvature radius: 750 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).





**ON REQUEST:**

- Roller central guide: Other colours.



Example of application

## Roller side guide (single type, with cylinders) Type: T25



Example of application

Type	Code
T25	CP000483

**MATERIALS:** Roller side guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.

**FEATURES:** Supplied already assembled, in bars of 3 meters length.




Min. curvature radius: 250 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**

- Roller side guide: Other colours.

## Roller side guide (double type, with cylinders) Type: T26



Example of application

Type	Code
T26	CP000484

**MATERIALS:** Roller side guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.

**FEATURES:** Supplied already assembled, in bars of 3 meters length.



Min. curvature radius: 500 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**

- Roller side guide: Other colours

## Roller central guide (single type, with cylinders) Type: T27



Type	Code
T27	CP000485

**MATERIALS:** Roller central guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.


**FEATURES:** Supplied already assembled, in bars of 3 meters length.

Min. curvature radius: 500 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).




**ON REQUEST:**

- Roller central guide: Other colours.



Example of application

## Roller central guide (double type, with cylinders) Type: T28



Type	Code
T28	CP000486

**MATERIALS:** Roller central guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.


**FEATURES:** Supplied already assembled, in bars of 3 meters length.

Min. curvature radius: 750 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**



- Roller central guide: Other colours.



Example of application



## Roller side guides (single type, with small cylinders) Type: T55



Example of application

Type	Code
T55	CP000487

**MATERIALS:** Roller side guide with metal profile in anodized aluminium;  
rollers in polyamide grey colour; support pins in acetal resin white colour.

**FEATURES:** Supplied already assembled, in bars of 3 meters length.




Min. curvature radius: 250 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**

- Roller side guide: Other colours.

## Roller side guides (double type, with small cylinders) Type: T56



Example of application

Type	Code
T56	CP000488

**MATERIALS:** Roller side guide with metal profile in anodized aluminium;  
rollers in polyamide grey colour; support pins in acetal resin white colour.

**FEATURES:** Supplied already assembled, in bars of 3 meters length.



Min. curvature radius: 500 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**

- Roller side guide: Other colours.

## Roller central guides (single type, with small cylinders) Type: T57



Type	Code
T57	CP000489

**MATERIALS:** Roller side guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.


**FEATURES:** Supplied already assembled, in bars of 3 meters length.

Min. curvature radius: 500 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).



**ON REQUEST:**

- Roller side guide: Other colours.



Example of application

## Roller central guides (double type, with small cylinders) Type: T58



Type	Code
T58	CP000490

**MATERIALS:** Roller side guide with metal profile in anodized aluminium; rollers in polyamide grey colour; support pins in acetal resin white colour.


**FEATURES:** Supplied already assembled, in bars of 3 meters length.

Min. curvature radius: 750 mm.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).



**ON REQUEST:**

- Roller side guide: Other colours.



Example of application

## Profiles for guides Type: T20, T21, T22 e T23



Type	Version	Type	Code	Length
Side	Single	T20	CP000491	3000
	Double	T21	CP000492	3000
Central	Single	T22	CP000493	3000
	Double	T23	CP000494	3000




**MATERIALS:** Metal profile in anodized aluminium.

**FEATURES:** Supplied in bars of 3 meters length.

To be used with roller guides T06, T07, T08, T19, T25, T26, T27, T28.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

## Separation block for roller side guide (single type) Type: T40



Example of application



Type	Code
T40	CP000495

**MATERIALS:** Separation block is made of polyethylene, grey colour; bolts and nuts in stainless steel AISI 304.


**FEATURES:** Supplied complete with bolts and nuts.

To be used at the end of the roller side guides, to help the arrival of the products.

**BOX QUANTITY:** 8 pieces.

**ON REQUEST:**



- Separation blocks: Other colours.
- Box Quantity: According to your request



Example of application



## Separation block for roller central guide (single type) Type: T41



Example of application



Type	Code
T41	CP000496


**MATERIALS:** Separation block is made of polyethylene, grey colour; bolts and nuts in stainless steel AISI 304.

**FEATURES:** Supplied complete with bolts and nuts. To be used at the end of the roller side guides, to help the arrival of the products.

**BOX QUANTITY:** 8 pieces.




**ON REQUEST:**

- Separation blocks: Other colours.
- Box Quantity: According to your request.



Example of application

## Separation block for roller side guide (double type) Type: T42



Example of application



Type	Code
T42	CP000497


**MATERIALS:** Separation block is made of polyethylene, grey colour; bolts and nuts in stainless steel AISI 304.

**FEATURES:** Supplied complete with bolts and nuts. To be used at the end of the roller side guides, to help the arrival of the products.

**BOX QUANTITY:** 8 pieces.



**ON REQUEST:**

- Separation blocks: Other colours.
- Box Quantity: According to your request




Example of application

## Separation block for roller central guide (double type) Type: T43



Example of application



Type	Code
T43	CP000498

**MATERIALS:** Separation block is made of polyethylene, grey colour; bolts and nuts in stainless steel AISI 304.  
**FEATURES:** Supplied complete with bolts and nuts. To be used at the end of the roller side guides, to help the arrival of the products. **BOX QUANTITY:** 8 pieces.  
**ON REQUEST:** • Separation blocks: Other colours. • Box Quantity: According to your request


## Guide profile for products Type: T29

Type	Code
T29	CP000499

**MATERIALS:** Profile made of natural polyethylene white colour.  
**FEATURES:** Supplied in bars of 3 meters length. To be used with side guides T20, T21, T22, T23.  
**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).



**ON REQUEST:**

- Box Quantity: According to your request.




Example of application

## Guide rail (with metal profile) Type: T53




Type	Code
T53	CP000500

**MATERIALS:** Plastic profile in polyethylene natural colour; metal profile in stainless steel AISI 304.  
**FEATURES:** Supplied already assembled in lengths of 6 meters.  
**BOX QUANTITY:** 2 bars of 6 meters (total 12 meters).  
**ON REQUEST:**



Example of application

### Guide rail (round, with metal profile) Type: T54



Type	Code	L
T54A	CP000501	6000
T54B	CP000502	3000


**MATERIALS:** Plastic profile in polyethylene natural colour;  
metal profile in stainless steel AISI 304.

**FEATURES:** Supplied already assembled in lengths of 3 or 6 meters.

**BOX QUANTITY:** 2 bars of 6 mts. (total 12 mts.), or 2 bars of 3 mts. (total 6 mts.).



**ON REQUEST:**

- Box Quantity: According to your request.




Example of application

### Connecting bar for roller guides Type: T18



Type	Code
T18	CP000503



Example of application

**MATERIALS:** Bar is made of zinc plated steel supplied with 4 screws M8x10.




**FEATURES:** To be used for connecting the metal profiles of T06, T07, T08, T19, T25, T26, T27, T28, T20, T21, T22, T23.

**BOX QUANTITY:** 8 pieces.

**ON REQUEST:**

- Box Quantity: According to your request.

## Roller side guide (375 mm modules, with cylinders) Type: T39



Example of application




Type	Code
T39	CP000504

**MATERIALS:** Rollers in polyamide grey colour;  
support pins and modules in acetal resin black colour.  
**FEATURES:** Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate.  
Min. curvature radius: ext = 500 mm; int. = 350 mm.  
**BOX QUANTITY:** 12 pieces.

**ON REQUEST:**

- Module and rollers: Can be produced in other colours.
- Box Quantity: According to your request.

## Roller side guide (375 mm modules with small cylinders) Type: T44



Example of application


Type	Code
T44	CP000505

**MATERIALS:** Rollers in polyamide grey colour;  
support pins and modules in acetal resin black colour.  
**FEATURES:** Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate.  
Min. curvature radius: ext = 500 mm; int. = 350 mm.  
**BOX QUANTITY:** 12 pieces.

**ON REQUEST:**

- Module and rollers: can be produced in other colours
- Box quantity: According to your request.

## Roller side guide (375 mm modules with pearls) Type: T45



Type	Code
T45	CP000506


**MATERIALS:** Rollers in polyamide grey colour; support pins and modules in acetal resin black colour.

**FEATURES:** Supplied already assembled, in modules of 375 mm length, for 40x8 mm plate. Min. curvature radius: ext = 500 mm; int. = 350 mm.

**BOX QUANTITY:** 12 pieces.


**ON REQUEST:**

- Module and rollers: can be produced in other colours
- Box quantity: According to your request.




Example of application

## Profiles for side guides Type: T30



Stainless steel AISI 430		Stainless steel AISI 304	
Type	Code	Type	Code
T30	CP000507	TX30	CP000508



Example of application


**MATERIALS:** Profiles in stainless steel AISI 430 or AISI 304.

**FEATURES:** Supplied in bars of 3 meters length. To be used with side guide T39.

**BOX QUANTITY:** 2 bars of 3 meters (total 6 meters).

**ON REQUEST:**



- Box Quantity: According to your request.



Example of application



Shoe for chain return (for raised rib chains) Type: T59



Type	Code	L1	L2	L3 (Chain width)
T59A	CP000509	41	50	38.5
T59B	CP000510	49	58.5	47


**MATERIALS:** Shoe in black polyethylene;  
screws in stainless steel AISI 304.

**FEATURES:** Supplied complete with screws.  
To be used in the idler part of the conveyor.

**BOX QUANTITY:** 8 pieces.



**ON REQUEST:**

- Shoes: Other colours.
- Box Quantity: According to your request



Example of application

## Scanning lever Type: T60



Without bore		With bore, without sensor insert		With bore and sensor insert	
Type	Code	Type	Code	Type	Code
T60A	CP000511	T60B	CP000512	T60C	CP000513

**MATERIALS:** Scanning lever in reinforced Polyamide black colour; grain and collar in zinc-plated steel.


**FEATURES:** Supplied assembled.

To be used in the surveying of the packaged products, to help the arrival of the products.

**BOX QUANTITY:** 24 pieces.



**ON REQUEST:**

- Scanning lever: Other colours.
- Box Quantity: According to your request.








Spacer for guide rail pin Type: T52



Example of application



L	Couleur	Type	Code
5	Blanc RAL 9001	T52A	CP000514
10	Rouge RAL 3000	T52B	CP000515
15	Noir RAL 9005	T52C	CP000516
20	Vert RAL 6029	T52D	CP000517
25	Jaune RAL 1021	T52E	CP000518
30	Orange RAL 2004	T52F	CP000519
35	Bleu RAL 5015	T52G	CP000520
40	Blanc RAL 9001	T52H	CP000521
	Rouge RAL 3000	T52I	CP000522
	Noir RAL 9005	T52L	CP000523
	Vert RAL 6029	T52M	CP000524
	Jaune RAL 1021	T52N	CP000525
	Orange RAL 2004	T52O	CP000526
	Bleu RAL 5015	T52P	CP000527
	Gris RAL 7035	T52Q	CP000528

**MATERIALS:** Spacer in polypropylene.

**FEATURES:** To be used to adjust the distance between the side guides.


Snap-on assembly. Available in different lengths and colours.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Spacers: Other colours.
- Box Quantity: according to your request.

## Reference peg for size changing Type: T31



Type	Code	Colour
T31A	CP000529	Black RAL 9005
T31B	CP000530	White RAL 9001
T31C	CP000531	Red RAL 3000
T31D	CP000532	Yellow RAL 1021
T31E	CP000533	Blue RAL 5015
T31F	CP000534	Green RAL 6029
T31G	CP000535	Mustard RAL 1027
T31H	CP000536	Orange RAL 2004
T31I	CP000537	Grey RAL 7035
T31L	CP000538	Pink RAL 3015
T31M	CP000539	Light Blue RAL 6027
T31N	CP000540	Brown RAL 8001

**MATERIALS:** Peg in reinforced polypropylene.

**FEATURES:** To be used as a reference on the transport guides for size changing.




**BOX QUANTITY:** 96 pieces.

**ON REQUEST:**

- Pegs: Can be produced in other colours.
- Box Quantity: According to your request.

Example of application

Reducer for racks (for the cross adjustment of the side guides) Type: D99



Example of application

Internal gear made of acetal		Internal gear made of brass		Without internal gear	
Type	Code	Type	Code	Type	Code
D99A	CP000541	D99B	CP000542	D99C	CP000543

**MATERIALS:** External body of reducer is made of reinforced polyamide orange colour; self-threading screw is made of stainless steel AISI 304. Available: without internal gear; with internal gear made of acetal, white color; with internal gear made of brass.

**FEATURES:** To be used for the cross adjustment of the side guides while changing the size of the conveyed product.

**BOX QUANTITY:** 24 pieces.

**ON REQUEST:**

- Reducers: In different colours.
- Box Quantity: According to your request.

## SUPPORTS OF POLYAMIDE



Serie SF/C  
Serie MSF/C

page 83  
page 83



Serie SF/CX  
Serie MSF/CX

page 84  
page 84



Serie SF  
Serie MSF

page 85  
page 85



Serie SF/CS  
Serie MSF/CS

page 86  
page 86



Serie UCF/CA

page 87



Serie SF/CXA

page 88



Serie SFL/C

page 89



Serie SFL/CX

page 90



SerieSFL

page 91



Serie SFL/CS

page 92



Serie MSFL/C

page 93



Serie MSFL/CX

page 94



Serie MSFL

page 95



Serie SFB/C

page 96



Serie SFB/CX

page 97



Serie SFB

page 98

